AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOUL Well Operator and the their respective address	D BE IN TRIPLICATE, one third copy (and extra coses.	e copy mailed to the Depart pies if required) should be	ment, one c mailed to	opy to be retai each coal o	ned by the perator at
Farm name: Bullard	Rodney	Operator Well No.: R.R	.Lockhar	t #506	
LOCATION: Elevation	1334	Ounders la Newto	n		

LOCATION	: Elevation	1334		Quadra	angle:	Newto	'n		
	District:	Henry		County	•	Clay			
	Latitude:	38.542458687905	Feet South		eg	Mi	n.	Sec.	
	Longitude	e:81.139913532831	Feet West				in	Sec.	
Well Type:	OIL	GAS water inj.		las	ting	048	7807 6014		
Company	Triad H	lunter,LLC	Coal		N/A	j ,	6019		į
	125 Putn	am Street	or Ox	-				······································	
	Marietta,	Ohio 45750		•					
Agent	Kim An	nold	Coal or Ow	Operator iner	N/A				
Permit Issu	ed Date	May 08,2014		•					
STATE OF V		•		AFFIDAVI	T				
COUNTY OF CA	7	58 :	i						1

Rickey Duckworth	and Robert Stewart	being first duty sworn	according to law depose
and say that they are exp well operator, and partic	erienced in the work of pluggi	ng and filling oil and gas wells and were emplo and filling the above well say that said w	yed by the above named
the 22 day of		the well was plugged and filled in the following	

TYPE	FROM	ТО	PIPE REMOVED	LEFT	
cement	2344	2094	1350 of 4 1/2	987 <u>of 4 1/2</u>	
cement	1375	1275		987 of 4 1/2 RECE	VED
cement	550	450		Office of Oil	and G
cement	100	0		• • •	
				SEP 08	2014
				WV Depar	mont

and that FAWIFORMSBIR LATRICTION Description of monument: 5 in. pipe with API no. on attached plate said well was completed on the 4

And further deponents saith not.

8 day of September 20/4 Sworn and subscribe before me this

My Commission Expires October 25, 2023

My commission expires: 10-25-2023

grian mo

AFFIDAVIT OF PLUGGING AND FILLING WELL

	Coffman, E	Edward	Opera	ator Well N	_{o.:} John M.	Coffman 2	
LOCATION	Elevation: 1	255'			Wallace 7.5		
LOOATION		agle	Qua	urangie	Harrison		
			et South of				
	Longitude: _	Fe	et West of	Deg	Min	Sec.	
Well Type:	OIL G	AS X				9	
Company	XTO Energ	gy Inc.	Coal Operator	Guy Corp	oration		
	PO Box 1008		or Owner	92 16th S			-
	Jane Lew, WV	26378		Wheeling	, WV 26003		-
			Coal Operator	r Virginia T	etrick Estate		•
Agent	Gary Beall		or Owner	92 16th S	t.		- y
Permit Issu	ed Date	7/29/14		Wheeling,	, WV 26003		-1 -:
			AFFIDA	VIT			
STATE OF W	EST VIRGINIA	۸,	7				
County of		SS:					
C+0	100 450	and 101	n Oille			art approximated experiment process at a fraction according	
and say that the	nev are evnerie	nced in the work	of plugging and filling	ag oil and gr	being first duly	y sworn according to law dep ere employed by the above nan	ose
well operator	and participate	ed in the work of	ol plugging and fillin	a the above	as wells and we	ere employed by the above han	nea
				u tile above	well sav that	t said work was commenced	on
the 4+	day of 🕰	19UST , 201	///, and the well wa	as plugged	and filled in t	t said work was commenced he following manner:	on
the		<i>19UST</i> , 20 <i>1</i>	///, and the well wa	as plugged	and filled in t	he following manner:	
the <u>4</u> +	FRC	M . 20 <u>1</u>	74, and the well was	as plugged	and filled in t	he following manner:	Inspector So
the	5RC	19457 , 201 M 355	四 の 「 の 「 の 「 の に の に の に の に の に の に の の に る に る 。 に る 。 に る 。 に る 。 に る 。 に る 。 に る 。 に 。 。 に 。 。 に 。 。 。 。 。	as plugged	and filled in t	he following manner:	Inspector So Ward gave
the	3760 3420	19451 , 201 M 355 322	M, and the well with the well	as plugged PIPE REMO	and filled in t	he following manner: LEFT	Inspector So Ward gave Verbal permi
the	7760 3760 3430 2330	0M 355 322 220	TO F O 15 O 45	as plugged	and filled in t	he following manner:	Inspector So Ward gave verbal permi to plug from
the	7760 3760 3420 2330 1900	19UST 201 355 322 220 1700	TO F	PIPE REMO ~ - 345 - 2330	and filled in t	he following manner: LEFT の 2377	Inspector So Ward gave verbal permin to plug from CIBP up, No
the	FRC 3760 3420 2330 1900 1300	19UST , 201 355 322 220 1700 1100	TO F O 1/3 S O 4/3	as plugged PIPE REMO	and filled in t	he following manner: LEFT	Inspector So Ward gave verbal permine to plug from CIBP up. No perforations
the	7760 3760 3420 2330 1900	19UST , 201 355 322 220 1700 1100 350	TO F O /3 O /45	PIPE REMO ~ - 345 - 2330	and filled in t	he following manner: LEFT の 2377	Inspector So Ward gave verbal permin to plug from CIBP up, No
TYPE / / / / / / / / / / / / / / / / / / /	FRC 3760 3420 2330 1900 1300 450 200	19UST , 201 355 322 220 1700 1100 350 SurFA	TO FO I'S SO HIS SO SEES SO SE SEES SO SE	PIPE REMO ~ - 345 - 2330	and filled in t	LEFT O 2377' Cemented to Surface	Inspector So Ward gave verbal permit to plug from CIBP up, No perforations below CIBP
TYPE / / / / Description	FRC 3760 3420 2330 1900 1300 450 200 of monument:	19UST , 201 355 322 220 1700 1100 350 SurFA	TO FO I'S SO HIS OF STA	PIPE REMO - 345 - 2330 - 0	and filled in t	he following manner: LEFT の 2377	Inspector So Ward gave verbal permit to plug from CIBP up, No perforations below CIBP
TYPE / / / / Description	FRC 3760 3420 2330 1900 1300 450 200 of monument:	19UST , 201 355 322 220 1700 1100 350 SurFA	TO FO I'S SO HIS OF STA	PIPE REMO ~ - 345 - 2330	and filled in t	LEFT O 2377' Cemented to Surface	Inspector So Ward gave verbal permit to plug from CIBP up, No perforations below CIBP
TYPE / / / / Description said well was	FRC 3760 3420 2330 1900 1300 450 200 of monument:	19UST , 201 355 322 220 1700 1100 350 SurFA HA CASING THE 6-87 day of	TO FO I'S SO HIS OF STA	PIPE REMO - 345 - 2330 - 0	and filled in t	LEFT O 2377' Cemented to Surface	Inspector So Ward gave verbal permit to plug from CIBP up, No perforations below CIBP
TYPE / / / / Description said well was	FRC 3760 3430 2330 1900 1300 450 200 of monument:_completed on the	19UST , 201 355 322 220 1700 1100 350 SurFA HA CASING THE 6-87 day of	TO FO I'S SO HIS OF STA	PIPE REMO - 345 - 2330 - 0	and filled in t	LEFT O 2377' Cemented to Surface	Inspector So Ward gave verbal permit to plug from CIBP up, No perforations below CIBP
TYPE / / / / Description said well was	FRC 3760 3430 2330 1900 1300 450 200 of monument:_completed on the	19UST , 201 355 322 220 1700 1100 350 SurFA HA CASING THE 6-87 day of	TO FO I'S SO HIS OF STA	PIPE REMO - 345 - 2330 - 0	and filled in t	LEFT O 2377' Cemented to Surface	Inspector So Ward gave verbal permit to plug from CIBP up, No perforations below CIBP
TYPE / / / / Description said well was And further	FRO 3760 3430 2330 1900 1300 450 200 of monument:_completed on the deponents said	19057 , 201 355 322 220 1700 1100 350 Surfa 42 CASING The 19-87 day of	TO FO I So I S	PIPE REMO - 345 - 2330 - 0	and filled in t	LEFT O 2377' Cemented to Surface	Inspector So Ward gave verbal permit to plug from CIBP up, No perforations below CIBP
TYPE / / / / Description said well was And further	FRO 3760 3790 2330 1900 1300 150 200 of monument:_completed on the deponents said	19/57 , 20/10/10/10/10/10/10/10/10/10/10/10/10/10	TO FO I So I S	PIPE REMO - 345 - 2330 - 0	and filled in to	LEFT O 2377' Cemented to Surface nat the work of plugging and fill My Common CE My Common CE	Inspector So Ward gave Verbal permit to plug from CIBP up. No perforations below CIBP INTERPORT ALSEAL PUBLIC MOST CONTROL TOOS WY 26578
TYPE / / / / Description said well was And further	FRO 3760 3430 2330 1900 1300 450 200 of monument:_completed on the deponents said	19/57 , 20/10/10/10/10/10/10/10/10/10/10/10/10/10	TO FO I So I S	PIPE REMO" - 345 - 2330 - 0 - , 2014.	and filled in to	LEFT O 2377' Cemented to Surface nat the work of plugging and fill My Common CE My Common CE	Inspector So Ward gave Verbal permit to plug from CIBP up. No perforations below CIBP INTERPORT ALSEAL PUBLIC MOST CONTROL TOOS WY 26578
TYPE / / / / Description said well was And further	FRO 3760 3790 2330 1900 1300 150 200 of monument:_completed on the deponents said	19/57 , 20/10/10/10/10/10/10/10/10/10/10/10/10/10	TO FO I So I S	PIPE REMO" - 345 - 2330 - 0 - , 2014.	and filled in to	LEFT O 2377' Cemented to Surface	Inspector So Ward gave Verbal permito plug from CIBP up. No perforations below CIBP INTERPORT OF THE PUBLIC TOSANDS TOSANDS

AFFIDAVIT OF PLUGGING AND FILLING WELL

then respect	ive addresses.							
Farm name:	Haggarty, Jes	se	Operate	or Well	_{No.:} Z		_	
LOCATION:	Elevation: 1,067'		Quadr	rangle:	Wolf Sum	mit 7.5'		
	District: Sardis		Count		Harrison			
	Latitude:	Feet	South of	Deg.	Min.	Sec.		
	Longitude:							
Well Type:	OIL GAS <u>×</u>							
Company	XTO Energy Inc.		Coal Operator	Rossc	o Limited Liabi	ility Company		
	PO Box 1008		or Owner	PO Bo				
	Jane Lew, WV 2637	/8	Coal Operator		lle, WV 26351			
Agent	Gary Beall		or Owner					
Permit Issu		14						
			AFFIDAV	/IT				
	EST VIRGINIA,		ALTIDA					
County of Le	SS:		~ VI					
STAN L	owther an	d 100	1 2/110		_being first du	ily sworn accord	ding to law depo	ose
	ney are experienced in							
	, and participated in the							on
- Pi	-					,		
TYPE	FROM	TC			MOVED		FT	-
/-	450	SULFAC 300'	2	150	OF 2"	1243'		Inspector S
	1150	800'		0	. 7'1	1450'		permission to
		-		_	7 - 3	25-1		plus from 11.
				0 -	103/4	250'		Cullupsed
								casing.
Description	of monument: 43	CASING	loilone		and	that the work of	nlugging and filli	ng
	completed on the 227			20 <u>14</u> .		Comment of		19
And further	deponents saith not.	Ja.	100 The			(CIED)	OFFICI	AL SEAL
And further	deponents saith not.	- au	- O M			(+ A	State of W	PUBLIC
		Ton	C/M				AND EN	SANDS
Sworn and	subscribe before me th	nis 23rdda	ay of July		20/4	My Commiss	Jane Jaw, I	x 1008 WV 26378
NA	n expires: 12/22//	8	0	T. 11	11	C	EP	mber 22 2018
iviy commissio	n expires: 1 6/ 600/ 70	<u></u>		No	otary Public		Departmet Departmet	otection,
		<		01	2 ==	= () (N)	Dephialp	
Affidavit review	ved by the Office of Oil	and Gas:			10 Cost	Title:	Can Ingh	ector
						FILL		

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Ventura, John		Operat	or Well No.: Lyon	ns S-25	
LOCATION:	Elevation: 1003'			rangle: Clarksb		
	District: Coal			I larria -		
	Latitude: 11,250	·	Coun	· J ·		
	Longitude: 4,825			Deg. 20 Min.		
	Longitude: 1,020	Feet	West of 80	_Deg. <u>20Min</u>	. <u>00</u> Sec.	
Well Type: 0	OIL GAS X					
Company	XTO Energy In	nc.	Coal Operator	Jonathon Ventura		
	PO Box 1008		or Owner	2709 Rummel Bro	wn Dr.	
	Jane Lew, WV 2637	<u>'8</u>		Charleston, WV 25	5302	
Agent	Gary Beall			William Ventura		
Agent Permit Issue			or Owner	PO Box 964		
r crimit issue	ed Date <u>5/27/14</u>	4		Scott Depot, WV 2	5560	
STATE OF W	EST VIRGINIA, کت عند		AFFIDAV	TIT		
-						
StAnLO	wither and	d_Tom	Dille	being first	duly sworn according to law d were employed by the above that said work was commen	donose —
and say that the	ey are experienced in	the work of	plugging and filling	oil and gas wells and	were employed by the above	named a spector
well operator,	and participated in the	work of pl	ugging and filling	the above well say	that said work was commen	ced on Sam Ward
the _/8 /**	day of	, 20 <i>14</i> ,	and the well was	plugged and filled	in the following manner:	to show is
TYPE	FROM	TC) PII	PE REMOVED	LEFT	to pluy up through 17 d
1	4120	397		LINEWOVED	LEFT	set CIBP. at
	3200	29/				4130'- due
	2700	255				to wire of too!
	2340	2200	7"	- 0	2272 -WAS C.T.	5. In bottom of
	1050	600				I be that were
	500	SUFFAC	2 45'	0F 23/2	4489	unable To be
Description o	f monument: 4½′	CAS ing	x 10.2ong	and and	d that the work of plugging an	fished out.
		,	agust	· <u></u>	OFI	ICIAI SEAL
And further of	leponents saith not.	Sta	nlowth	en	MOT NOT	ARY PUBLIC
		2	Dill		A SECTION	THY SANDS
		ANTI	14/19		CO OF ME	Energy Inc.
Sworn and si	ubscribe before me thi	s 26 th da	y of <u>August</u>	, 20 14	My Commission Expires	ew, WV 26378 December 22, 2018
My commission	expires: 12/22/18		Ja	its fac		petember 22, 2018 Epartment Epartment Epartal Protection Spector
				Notary Public	a. WY	nental '
Affidavit reviewe	ed by the Office of Oil	and Gas:	- 16)1	1)	(1 1/1 p :: 0 1)	,,-

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Harold R.	& Sand	ra L. Mil	llerOper	ator Well No.:	13062		
LOCATION:	Elevation:	840.32				w Milton 7.5'		
200/111011.			ns Creek		unty: Lev			
				C0 South of 39	unty	Min00		
	Longitude:				Deg	Min. 30	Sec.	
	Longitude.		reel	vvest of	Deg	Min. <u></u>	Sec.	
Well Type: 0	OIL	GAS <u>×</u>						
Company	Dominion	Transmis	sion Inc.	Coal Operato	r Eastern Asso	ociated Coal Corp.		
	445 West Ma	in Street		or Owner	P.O. Box 123			
	Clarksburg, V	VV 26301		ı		WV 25324-1233		
Agent	James Bla	einaama		Coal Operate	or	· · · · · · · · · · · · · · · · · · ·	-	
Permit Issu		05/30/20		or Owner				
	24.0		··		-	·		
STATE OF M	/EST VIRGINI	٨		AFFID	AVIT			
County of Har		SS:						
Iomaa Diasina								
James Blasing		and		physics and fill	bei	ng first duly sv	vorn according to law mployed by the above	depose
well operator, the 19th	and participa, day of Ju	ited in the	work of pla	ugging and filli	ng the above we	ell say that sai	in ployed by the labove id work was commen flowing manner:	ced on
							— -	
TYPE		OM	TC	<u> </u>	PIPE REMOV	ED	LEFT	
PLEASE SEE ATTAC	RED						 	
· · · · · · · · · · · · · · · · · · ·								
		L				L		
•				#47-041-1341 6/2	27/14	and that th	ne work of plugging ar	d filling
said well was o	completed on	the 27th	_day of _Jur	ne	_, 20 <u>14</u> .		REPOSIVE	OFFICIAL SEAL
And further	deponents sa	ith not.	<u>-</u>]	10. PO.			O file Laboration	State of West Virginia
	•	(1	1	_		DOMINION Transmission, Inc.
			J. Desi	GUATED AGE	AT, DIRECT	DE GAS STORA	4E 15 20	
Sworn and				<u></u>				445 West Main Street Glarksburg, WV 26301
	subscribe befo	ore me this	gth de	av of Synta	nber on l	14	My Commission	445 West Main Street Glarksburg, WV 26301 Expires March 31, 2020
Bar annousingle		_		ay of <u>Stote</u>	nber , 20 1	14	WV Departme	445 West Main Street Glarksburg, WV 26301 1 Expires March 31, 2020
wy commissio	subscribe befo n expires: 3	_		ay of Stote	male	2 John	WV Departme	445 West Main Street Glarksburg, WV 26301 1 Expires March 31, 2020
wy commissioi		_		ay of Stotes	Moder, 20 Notary	2 John	My Commission	445 West Main Street Glarksburg, WV 26301 1 Expires March 31, 2020

WR-38 for API #47-041-01341 Attachment Dominion Transmission, Inc. Well No. 13062

Ran 2 3/8" tubing into well – TD 2,318'
Set first plug from 2,318' to 1,735'
Shot holes at 1,175' to 1,185' – 20 holes
Shot holes at 965' to 975' – 20 holes
Shot holes at 375' to 385' – 20 holes
Ran 2 3/8" tubing into 1,720' to surface

Plugged with 310 sacks Class A cement 70 Bbl mixed at 15.6 PPG Set 4 ½" x 4" monument on top of well Topped off 6' by 6' cellar with cement

RECEIVED
Office of Oil and Gas

SEP 1 5 2014

WV Department of Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Harold R. & San	dra L. Mil	llerOpe	rator Well No.:	13064		
LOCATION:	Elevation: 1160.8	5'	Qu	_{ladrangle:} Ne	w Milton 7.5'		
		ns Creek			wis		
	Latitude: 15,120	Feet	South of 39		Min00	Sec.	
	Longitude: 9,150	Feet	West of 80	Deg. <u>37</u>	Min. 30	Sec.	
Well Type: (OIL GAS <u>X</u>	···					
Company	Dominion Transmi	ssion Inc.	Coal Operate	or Eastern Ass	ociated Coal Corp.		
	445 West Main Street		or Owner	P.O. Box 12			<u> </u>
	Clarksburg, WV 26301		Cool One		WV 25324-1233		
Agent	James Blasingam	е	Coal Operator Owner	or			
Permit Issue							
			AFFIC	AVIT			
STATE OF W County of Har	/EST VIRGINIA,						
James Blasinga	ame and	i		hei	na first dulv sv	vorn according to lav	v denose
and say that th	ney are experienced in	he work of	plugging and fil	lling oil and gas	wells and were e	mployed by the above	e named
well operator, the 16th	and participated in the	work of plo . 2014.	ugging and fill and the well	ling the above w was plugged, an	ell say that sai	id work was comme	nced on
						mowing manner.	
TYPE PLEASE SEE ATTAC	FROM	TC)	PIPE REMOV	'ED	LEFT	
PLEASE SEE ATTAC	neo						
		l	1				
·							
*	of monument: DTI Well	#13064 API		26/14 , 20 <u>14</u> .	and that the	ne work of plugging a	nd filling
said well was o	completed on the 26th				and that the	ne work of plugging a	OFFICIAL SEAL
said well was o				_, 20 <u>14</u> .	=	ne work of plugging a	***************************************
said well was o	deponents saith not.	day of Jun	10 D.P	_, 20 <u>14</u> .	and that the	ne work of plugging a	OFFICIAL SEAL NOTARY PUBLIC State of West Virginia BRENDA M. JOHNSON Homiston Transmission. Inc.
said well was o	completed on the 26th	day of Jun	10 D.P	_, 20 <u>14</u> . Paraman	=		OFFICIAL SEAL NOTARY PUBLIC State of West Virginia PRENDAM. JOHNSON
And further Sworn and s	deponents saith not.	day of Jun	LATED ALBA	2014. Cas e Ti Dr Dr. Dr Spender	= ecox Gas S Y m. John	My Commission	OFFICIAL SEAL NOTARY PUBLIC STATE OF West Virginia SPENDA M. JOHNSON OFFICIAL SEAL OFF
And further Sworn and s	deponents saith not.	DESIGN	LATED ALBA		= ecox Gas S Y m. John	My Commission WV Depai	OFFICIAL SEAL NOTARY PUBLIC STATE OF West Virginia SPENDA M. JOHNSON OFFICIAL SEAL OFF

WR-38 for API #47-041-01487 Attachment Dominion Transmission, Inc. Well No. 13064

Ran 2 3/8" tubing into well – TD 2,490'
Set first plug from 2,450' to 2,010' in 4 ½" hole
Shot holes at Injun 2,300' to 2,290' – 20 holes
Shot holes at Big Lime 2,207' to 2,197' – 20 holes
Shot holes at Little Lime 2,127' to 2,137' – 20 holes
Ran 2 3/8" tubing into 2,180' and cemented to surface

Plugged with 270 sacks Class A cement 58 Bbl mixed at 15.6 PPG Set 4 ½" x 4" monument on top of well Topped off 6' by 6' cellar with cement

RECEIVED
Office of Oil and Gas

SEP 1 5 2014

WV Department of Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Dominion Transn	nission, I	nc. Operat	or Well No.:_	13065		
LOCATION:	Elevation: 1139.4	2	Quad	rangle. Nev	w Milton 7.5'		
		ns Creek		1			
	Latitude: 14,480	Feet			Min 00	Sec.	
	Longitude: 9,025	Feet	West of 80	Dea. 37	_{Min.} 30	oec. Sec.	
	<u> </u>				 '''''		
Well Type: (OIL GAS X						
Company	Dominion Transmi	ssion Inc.	Coal Operator	Eastern Asso	ciated Coal Corp.		
- •	445 West Main Street		or Owner	P.O. Box 123			
	Clarksburg, WV 26301				W 25324-1233		
Agent	James Blasingam	9	Coal Operator or Owner				
Permit Issue			or Owner			·	
			APPIDAL				
STATE OF W	EST VIRGINIA,		AFFIDAV	/11			
County of Har	rison ss:						
James Blasings	ame and	i		beir	na first dulv sw	orn according to law	w dennee
and say that th	ey are experienced in t	he work of	plugging and filling	oil and gas w	vells and were en	nployed by the abov	re named
the 26th	and participated in theday of	work of pi	ugging and tilling and the well was	the above we s plugged and	ell say that said I filled in the foll	d work was comme lowing manner:	nced on
TYPE PLEASE SEE ATTAC	FROM	TC) PI	PE REMOVE	ED	LEFT	
TED OC OCC AT TACK							
·	· · · · · · · · · · · · · · · · · · ·						
							
Description (of monument: DTI Well	#13065 API	#47-041-1520 7/7/14	4	and that the	e work of plugging a	and filling
said well was o	completed on the 7th	_ day of _Jul	y	20 <u>14</u> .		o work or plagging a	and mirrig
And further	deponents saith not.	Jane	a D. Plan	` -		STREET	OFFICIAL SEAL NOTARY PUBLIC
		T	λ (-		Atete of West Virginia
			KILATED HUEN	R DITR	rector bas.		Bominion Vegenission, Inc.
Sworn and s	subscribe before me thi	s <u>4 Th</u> da	ay of Stotem	<u> مر</u> 20 1	<u>4</u>	My Commiss	lon Expires March 31, 2020
	expires: 3 - 31 - 2		in		m. Jal		2014
•				Notary F		WV Depar	tment of
Affidavit review	ed by the Office of Oil a	and Gas.	Bru A	111/2	- Title:	Environmenta	l Protection
			,	7	inte.	THE DECEMBER	
			•				

WR-38 for API #47-041-01520 Attachment Dominion Transmission, Inc. Well No. 13065

Ran 2 3/8" tubing into well – TD 2,480'
Set first plug from 2,480' to 2,196'
Shot holes at Big Lime 2,150' to 2,140' – 20 holes
Shot holes at Little Lime 2,100' to 2,110' – 20 holes
Shot holes at Elevation 1,079' to 1,089' – 20 holes
Shot holes at Coal 384', 364' – 20 holes
Ran 2 3/8" tubing into 2,187' and cemented to surface

Plugged with 280 sacks Class A cement 59 Bbl mixed at 15.6 PPG Set 4 ½" x 4" monument on top of well Topped off 6' by 6' cellar with cement

RECEIVED
Office of Oil and Gas

SEP 1 5 2014

WV Department of Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

LOCATION		Transmi	ssion, i	nc.	_Operat	or We	ll No.:_	1300	5 7		_			
LUCATION.	Elevation:	1122.75	1		Quad									
	District:	Freeman			Coun	-	Lev							
	Latitude:	14,172	Feet	South of			0	Min.	00	Sec.				
	Longitude:	8,917	Feet	West of	80	_Deg.	37		30	Sec	C.			
Well Type: O	iL	GAS X												
• •		Transmiss	 sion Inc.	Coal Or	erator	Easte	m Asso	ciated C	oal Com.					
	445 West M			or Own	er		3ox 123							
	Clarksburg,	WV 26301					eston, V	VV 2532	4-1233					
Agent	James Bi	asingame		Coal O or Own	-									
Permit Issue		05/30/201	4	0. 0										
				A	FFIDAV	/IT								
STATE OF WE County of Ham		NA, ss:												
James Blasinga	me	and					beir	na first	dulv sw	orn seco	rdina to	law dana		
and say that the	y are expe	rienced in the	e work of	plugging a	and filling	oil and	d gas w	vells and	d were en	nployed b	y the at	ove nam	ed	
well operator,	and particin					•	-							
the 7th	day of J	ated in the w	vork of pla	ugging ar	nd filling	the ab	ove we	ell say	that said	d work w	vas com	menced	on	
the 7th	day of <u>J</u>	uly	vork of pla	ugging ar	nd filling	the ab	ove we	ell say	that said	d work w lowing ma	vas com anner:	menced	on	
the 7th	day of _	ated in the wuly	vork of pla	ugging ar and the	nd filling well was	the ab s plugg	ove we	ell say	that said	lowing m	vas com anner: EFT	menced	on]	
the 7th	day of _	uly	vork of plu , 20 <u>14</u> ,	ugging ar and the	nd filling well was	the ab s plugg	ove we	ell say	that said	lowing m	anner:	menced	on 	
the 7th	day of _	uly	vork of plu , 20 <u>14</u> ,	ugging ar and the	nd filling well was	the ab s plugg	ove we	ell say	that said	lowing m	anner:	menced	on	
the 7th	day of _	uly	vork of plu , 20 <u>14</u> ,	ugging ar and the	nd filling well was	the ab s plugg	ove we	ell say	that said	lowing m	anner:	menced	on	
the 7th	day of _	uly	vork of plu , 20 <u>14</u> ,	ugging ar and the	nd filling well was	the ab s plugg	ove we	ell say	that said	lowing ma	anner:	menced	on	
the 7th	day of _	uly	vork of plu , 20 <u>14</u> ,	ugging ar and the	nd filling well was	the ab s plugg	ove we	ell say	that saic	lowing ma	anner:			
TYPE PLEASE SEE ATTACH Description o	FF	ROM	vork of plu , 20_14, 	ugging ar and the	ed filling well was Pl	the ab s plugg PE RE	ove we	ell say	that saic	lowing ma	anner:	OFF NOTA 9Statélis	CIAL SI RY PUE	BLIC Irginia
TYPE PLEASE SEE ATTACH Description o said well was co	f monument	t: DTI Well #*	vork of plu , 20_14, 	ugging ar and the	ed filling well was Pl	the ab	ove we	ell say	that saic	lowing ma	EFT	OFF NOTA 9Statellor BRENDA Dominion 445 We	CIAL SI ARY PUE GWest V M. JOH Transmissi st Main S	BLIC /irginia NSON ion, Inc. itreet
TYPE PLEASE SEE ATTACH Description o	f monument	t: DTI Well #*	vork of plu , 20_14, 	ugging ar and the	ed filling well was Pl	the ab s plugg PE RE	ove we	ell say	that saic	lowing ma	EFT	OFF NOTA 9 Statélibi BRENDA Dominion 445 Clarksbi on Expires	CIAL SI RY PUI West V M. JOH Transmissi sirg, WV 2 March 3	BLIC /irginia NSON ion, Inc. itreet
TYPE PLEASE SEE ATTACH Description o said well was co	f monument	t: DTI Well #*	TC 13067 API	ugging ar and the	PI	the ab s plugg PE RE	ove we	ell say	that saic	lowing ma	EFT	OFF NOTA 9Statellin BRENDA Dominion 445 We Carksbu ion Expires	CIAL SI NRY PUB West V M. JOH Transmissi est Main S urg, WV 2 6 March 3	BLIC /irginia NSON ion, Inc. itreet 26301 1, 2020
TYPE PLEASE SEE ATTACH Description o said well was co	f monument ompleted on deponents sa	t: DTI Well #	TC 13067 API	#47-041-4	PI	PE RE	EMOVI	ell say	that saic	lowing ma	EFT	OFF NOTA 9Statellin BRENDA Dominion 445 We Carksbu ion Expires	CIAL SI RY PUI West V M. JOH Transmissi sirg, WV 2 March 3	BLIC /irginia NSON ion, Inc. itreet 26301 1, 2020
TYPE PLEASE SEE ATTACH Description o said well was co	f monument ompleted on eponents salubscribe be	t: DTI Well #* the 30th aith not.	13067 API: day of _July DT\ Ve	#47-041-4	PI	PE RE	EMOVI	ell say d filled ED an an	that saic	lowing ma	enner:	OFF NOTA 9Statellin BRENDA Dominion 445 We Carksbu ion Expires	CIAL SI IARY PUE IGWest V M. JOH Transmissi Ist Main's Irg, WV 2 I March 3	BLIC /irginia NSON ion, Inc. itreet 26301 1, 2020

WR-38 for API #47-041-04174 Attachment Dominion Transmission, Inc. Well No. 13067

Ran 2 3/8" tubing into well – TD 5,010'

Set first plug from 5,000' to 3,000', 200 sacks plug

Checked TD, set down at 1,500' green cement

Drilled at green cement to solid cement 3,040'

Set solid plug (per State Inspector) at 3,040'

Shot holes at Injun 2,250' to 2,260' – 20 holes

Shot holes at Big Lime 2,140' to 2,150' – 20 holes

Shot holes at Little Lime 2,100' to 2,110' – 20 holes

Blue Dot shot squeeze holes 50' below Gantz

Ran 4 ½" cement retainer into well at 2,873'

Set cement plug from 2,873' to 2,385', 130' over Gantz

Cement top inside 4 ½" 2,310'

Set cement plug from 2,310' to surface

Plugged with 480 sacks Class A cement 85 Bbl mixed at 15.6 PPG Set 4 ½" x 4" monument on top of well Topped off 6' by 6' cellar with cement

RECEIVED
Office of Oil and Gas


SEP 1 5 2014

WV Department of Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Evans		o	perator Wel	l No.:_	11872				
LOCATION:	Elevation:_	1805 ft.		Quadrangle:	Bra	adshav	v, WV			
		Sandy River		County:	B # _ F	Dowel	1			
	Latitude: 1	7,650 _F	eet South of 37	7Deg. 2	5	Min.	00	Sec.	_	
	Longitude:	7,650 F	eet West of 81	Deg.	45	Min.	00	Sec.		
Well Type: (OIL	GAS_X								
Company	CNX Gas	Company	Coal Oner	ator Pocah	ontas I :	and Corr	noration			
	2481 John Na		or Owner		kd, WV		701GG071			-
	Buefield, WV	24701								•
		_	Coal Ope	rator					eceivec	
_	Gary Kenr		or Owner					Office	of Oil &	Gas
Permit Issue	ed Date	05/20/14	·							
			ACC	HDAN#T				SEF	P 1 5 2014	ŀ
STATE OF W	FST VIRGINI	Δ	AFF	IDAVIT						
County of		SS:								
Russell Neces	egn/	. locor	Pilou							
		and Jason enced in the wor			bein	ig first d	luty sw	orn according	a to law dep	ose
veli operator,	and participa	ted in the work of Tune , 2	f plugging and	filling the abo	ove we	li sav ti	hat said	work was a	commenced	on
TYPE	FR	OM	TO	PIPE RE	MQVE	D	1	LEFT		٦
class A cement	0	ft	2053 ft	1690 ft. of				1723 ft. of 8 5		7
								708 ft. of 11 3	/4 inch]
. 69V1										4
6% gel Class A cement	209		2153				 	463 ft. of \$1/		4
MI MI	211		4527 4830				 	2374 fl. of 5 1/		4
			4000				+	51 ft. of \$ 1/2	2 inch	-
aid well was c	of monument: ompleted on t deponents sai	steel plate on steel the day of the day of the not.	el post 4 ft. x 8 %	inches, 20_14.	9/14	and	I that the	e work of plu	gging and fill	ing
		<u>W</u>	moen Tlecos	1	29-	<u>1</u> 4				
Sworn and s	ubscribe befo	ore me this 9	Boay of Ju	ساس	. 20	4				
l B	EVERLY A	WERR	_	a		$\overline{0}$	111			
iy pommission	BOOD DEBY PI	RJ IC	-	<u>D</u>	<u>uu</u>		WW	<i></i>		
	Reg. #7502	204 -		N	otary P	ublic				
My Comm	ISSION Evolena	June 30 2015	. Munk	English.			T 241	Truc pu	. A.	
	ou by ulo will	THE PROPERTY	· V 3 /	7			Title:	>/-	-C-106	-

11872 PLUGGING AND ABANDONMENT Plugged 6/23-7/2/2014



11872 PTA Plugged 6/23-7/2/2014 API# 47-047-00633


FILL - 4630' - 4527'
CEMENT - 4527' - 2153'
6% GEL - 2153' - 2053'
CEMENT - 2053' - 0'

MONUMENT ERECTED 8-5/8" x 4' STEEL

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Landgr	aff Realty (Compa	ny	_Opera	tor Well	No.:_	5496	3			_		
LOCATION:						drangle:						•		
		Browns Cre	ek		Cou			Dowe		_		_		
		9615		South of			 7	N.A.	30			_		
	Longitude.	11,260	_ 1 661	Most of	81	Deg	25	. wiiri Min.		°	ec.			
	Longitude	9. <u> ,</u>	reet	west or		Deg		iviin.			_Sec.			
Well Type: (OIL	_GAS_X	-											
Company		s Company	الد	Coal O	perator	Mecha	el North	Americ	a					
	2481 John	Nash Blvd		or Own	ег	100 Cr	апьепту	Drive						
	Buefield, W	V 24701					y, WV 2	25801				R	Received	
	Can. Ka			Coal O	_							_	of Oil &	
Agent	Gary Ke			or Own	er	-								
Permit Issue	ed Date	04/24/14										<u>SE</u> I	P 1 5 2014	
				А	FFIDA	VIT								
STATE OF W				•										
County of		ss:												
Russell Neces	sarv	and J	ason Rile	w			hoine	- 67	aleder and					
and say that th	ev are expe				and fillin	a oil and	—Desir	alis and	uuiy SW Iw <i>ere e</i> n	molow Volum	ed by t	ng to law depo	56 ed	
well operator,	and particip	pated in the wo	rk of pl	ugging ar	nd filling	the abo	ve well	l say t	that said	d wo	nk was	s commenced	on	
the	day of _	May	_ 20 <u>14</u>	and the	well wa	as plugge	ed and	filled i	in the fol	lowin	g man	ner:		
TVOE		7014											-	
TYPE		ROM	TC		<u>P</u>	IPE RE	MOVE	D			LEF			
supertropic cemer		OR	1820	n								1/2 inch	-	
				+					┪		825 ft. of		-	
6% gel		1820	1920	, +				·			6 ft. of 9 0 ft. of 4		4	
Class A cement		1920	4130									1/2 inch	4	
fül		4130	4350						+		2 ft. of 4		ł	
									+			<u></u>	†	
_													3	
		t; steel plate o						and	d that the	e wo	k of pl	lugging and fillin	g	
said well was c	ombietea o	n the <u>18th</u> d	3y of	юу		20 <u>14</u> .								
And further	deponents s	saith not.	Jose	- 1		2 7/	29//4	<u>/</u>						
			Russ	M These	<u> </u>	7-	29-1	14						
			201h					. 1						
Sworn and s	BEVERLY	XIWEBBIS _	de de	ay of	<u>July</u>	<u> </u>	20	<u>4</u>	•					
div commissionie	NOTARY		- 1		,	TQ.	۸	11	11/).	1				
My commission	Reg. #7	502381	-			_ (X)	otary Pr		MAN		-			
My Com	mission Ex	oires June 30, 2	:015	. 1	. 4	, INC	naiy Pl 1	ublic						
Affidavit review	ed by the O	ffice of Oil and	Gas: _	Mu	y Ke	wud	4		Title:	Z	Sper	ctos		
				-	t		/				7			

5496 PLUGGING AND ABANDONMENT Plugged 5/12-19/2014



AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm Name:	:	J. A. Snyder		Operator Well No.:	5	
Location:	Elevatio	n: 1305'		Quadrangle: _		nington 7.5
	District:			County:	Mari	
	Latitude		Feet South of:	Deg		Min. Sec.
	Longitu	de:	Feet West of:	Deg.		Min. Sec.
Well Type:	Oil	(Gas	wɪw			
Company:	HG Ene	rgy, LLC		Coal Operator	NA	
_		upont Road		or Owner		
-		burg, WV 26101		_		
Agent: _	Diane V	Vhite		Coal Operator or Owner	NA	
Permit Issue	ed:	2/19/13				
				DAVIT		
State of We	st Virginia,	County of	Wood	ss:		
J	ohn Fordyo	e and		en Dotson		duly sworn according to
law, depose	and say th	at they are experience	ed in the work of pli	ugging and filling oil a	nd gas wells a	nd were employed by
the above o	perator, an	d participated in the v	vork of plugging and	d filling the above well	, that said wo	rk was commenced
on the	20th day	of August	, 20 <u>14</u> a	and the well was plugg	ged and filled i	n the following manne
		FROM	ТО	PIPE RE		LEFT
TYI			1958'	5 3/16"	2150'	0
Cement		2100' 1490'	1490'	6 5/8°	465'	1638'
Cement		850'	250'	8 1/4°	200'	1171'
Cement		100'	0	0 1/4	200	
Cement		100				
		Ripped 7" casing	2000'-2100', Perfor	ated 1550'-1650' (1 sl	not/10'), 750'-	850'
		(1 shot/10').805'	-815' (1 shot/1'), 70	05'-710' (1 shot/1') &	450'-550' 61 ਫ਼ੀ	oot/10')
		(2 disque // con			Offic	GEIVED
6% Gel	Between C	ement Plugs			Onice of	Ollando
0.000.						Oil and Gas
Description	of monume	ent:	8"x20'	_ 6	and that di efw	grigof plygging
		s completed on the	8th (day of S	Cantamber	~ """ 10 14
<u></u>		1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	WV Den	
And further	danonante	saith not	o. Hu l	VIVIAIN Er	Wironman	artment of tal Protection
Allu lululei	deponents	Salut Hot.	Unglish	XA MAN	оппен	tal Protection
		()	2h- W.	There	_	-100tiON
Sworn and	subscribed	before me this		day of .Se	Ottombre	, 20 14
			2 20 18		TAX NOO CA	· ——
My commiss	sion expires	. 1000 / 2	20.0	Solder Statement Carry	ر در ارسان المعارف الم	······································
			, <i>(</i>)	وقيالو س	*	FFICIAL SEAL OTARY PUBLIC
Notary Publ	ic	Ima	2/15	15 14 3	STATE	OF WEST VIRGINIA
•						A L. PETHTEL
Affidavit rev	riewed by t	ne , , / /	1 11		7 / ₃ ∦ 52€	G Energy, LLC 30 Dupont Road
Office of Oil	l and Gas:	full Nene	laster	The store	Parkersbur My Commiss	g, West Virginia 26101 ion Expires Nov. 12, 2018
		 	- T	b	•••••••	
Title:	1001101	nentral Ins	Peclos			

AFFIDAVIT OF PLUGGING AND FILLING WELL

Decation: Elevation: 1141'	Farm Name			s Eddy			rator Well No.:		
Latitude: Feet South of: Deg. Min. Sec. Longitude: Feet West of: Deg. Min. Sec. Longitude: Feet West of: Deg. Min. Sec. Min. Sec. Longitude: Feet West of: Deg. Min. Sec. Min. S	Location:			1141'					
Longitude:				day		Cou		Mond	ongalia
Well Type: Oil X Gas WIW Company: HG Energy, LLC 5260 Dupont Road or Owner Participating, WV 26101 Agent: Diane White Coal Operator or Owner Permit Issued: 4/18/13 AFFIDAVIT State of West Virginia, County of Wood ss: John Fordyce and Ken Dotson being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 20th day of August , 20 14 and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT Cement 1200' 1030' 5 3/16' 583' 1282' Cement 330' 750' 6 5/8' 320' 1540' Cement 330' 230' Cement 100' 0' 0' Perforated casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' Cement 100' 0' August , 20 14 And further deponents saith not. RECEINED Office of Oil and Gas WV Department of WV Department of Notary Public Affidavit reviewed by the Office of Oil and Gas: Notary Public Notary Public Permore Agent Age					_		Deg		
Company: HG Energy, LLC		Longitu	de: _	 	Feet West of: _		Deg		MinSec.
Agent: Diane White	Well Type:	Oil	<u><</u>	Gas	wɪw				
Agent: Diane White	Company:						•	NA	
Agent: Diane White or Owner Permit Issued: 4/18/13 AFTIDAVIT State of West Virginia, County of Wood ss: John Fordyce and Ken Dotson being first duly swom according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 20th day of August , 20 14 and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT Cement 1200° 1030° 5 3/16° 583° 1282° Cement 6550° 550° 6 5/8" 320° 1540° Cement 6550° 550° Cement 330° 2230° 1540° Cement 100° 0° Perforated casing 1200°-1100° (1 shot/20°), 850°-650° (1 shot/20°), 650°-550° [(1 shot/20°) & 605°-595° (1 shot/1°) Perforated dealing 1200°-1100° (1 shot/20°), 850°-650° (1 shot/20°), 650°-550° [(1 shot/20°) & 605°-595° (1 shot/1°) And further deponents saith not. RECEIVED Office of Qil and Gas Sworn and subscribed before me this My commission expires: NOV 12 2018 WV Department of Notary Public Affidavit reviewed by the Office of Qil and Gas: Notary Public Affidavit reviewed by the Office of Qil and Gas: Notary Public Notary Public Affidavit reviewed by the Office of Qil and Gas: Notary Public Notary Public Affidavit reviewed by the Office of Qil and Gas:						or C	wner _		
Permit Issued: 4/18/13 AFFIDAVIT State of West Virginia, County of				WV 26101		Cool	Onombor -	NA	
Permit Issued: 4/18/13 AFFIDAVIT State of West Virginia, County of Wood ss: John Fordyce and Ken Dotson being first duly sworm according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 20th day of August , 20 14 and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT Cement 1200' 1030' 5 3/16' 583' 1282' Cement 650' 550' Cement 650' 550' Cement 330' 230' 1540' Cement 100' 0' 1540' Perforated casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' (1 shot/20') & 605'-595' (1 shot/1') 6% Gel Between Cement Plugs Description of monument: 7" and that the work of plugging and filling said well was completed on the 18th day of August , 20 14 And further deponents saith not. RECEIVED Offlice of Oil and Gas Sworn and subscribed before me this day of August , 20 14 WV Department of Notary Public Notary Public Affidavit reviewed by the Office of Oil and Gas: 17 12 2018 WV Department of Notary Public File Berey, LIC	Agent:	Diane v	vnite				•	N/A	
State of West Virginia, County of	Permit Issue	ed:		4/18/13		OI O	- Allei		
John Fordyce and Ken Dotson being first duly sworm according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 20th day of August ,20 14 and the well was plugged and filled in the following manner: TYPE	i Cilinic 2000			., 20, 20	AFFII	DAVIT			
law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the	State of We	st Virginia,	Count	ty of	Wood		ss:		
law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the	1	ohn Fordvo	<u>a</u>	and	Ke	en Dots	on	beina first d	ulv sworn according to
the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the									•
on the 20th day of August , 20 14 and the well was plugged and filled in the following manner: TYPE FROM TO PIPE REMOVED LEFT Cement 1200' 1030' 5 3/16" 583' 1282' Cement 850' 750' 6 5/8" 320' 1540' Cement 650' 550' Cement 330' 230' Cement 100' 0' Perforated casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' (1 shot/20') & 605'-595' (1 shot/1') Perforated casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' (1 shot/20') & 605'-595' (1 shot/1') Description of monument: 7" and that the work of plugging and filling said well was completed on the 18th day of August , 20 14 And further deponents saith not. RECEIVED Office of Oil and Gas Swom and subscribed before me this // day of Subscribed before me this // day of Subscribed before me this // day of Subscribed before me this // 2014 WV Department of Notary Public // Sate of west viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy, LLC State of West viriginia TinA L. PETHEL HG Energy LLC State of West viriginia TinA L. PETHEL HG Energy LLC State of West viriginia TinA L. PETHEL HG Energy LLC State of West viriginia TinA L. PETHEL HG Energy LLC State of West viriginia TinA L. PETHEL HG Energy LLC State of West viriginia TinA L. PETHEL HG Energ									
TYPE FROM TO PIPE REMOVED LEFT Cement 1200' 1030' 5 3/16" 583' 1282' Cement 850' 750' 6 5/8" 320' 1540' Cement 650' 550' Cement 330' 230' Cement 100' 0' Perforated casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' (1 shot/20') & 605'-595' (1 shot/1') Bescription of monument: 7" and that the work of plugging and filling said well was completed on the 18th day of August , 20 14 And further deponents saith not. RECEIVED Office of Oil and Gas Sworm and subscribed before me this // day of September 12' 2014 WV Department of Notary Public Affidavit reviewed by the Office of Oil and Gas: Notary Public State of West viriginia Tink L. PETHTEL His Energy, LLC Scape place of September 2018 (LLC Scape place) and Road Public State of West viriginia Tink L. PETHTEL His Energy, LLC Scape place and Road Public State of West viriginia Tink L. PETHTEL His Energy, LLC Scape place and Road Public State of West viriginia Tink L. PETHTEL His Energy, LLC Scape place and Road Public State of West viriginia Tink L. PETHTEL His Energy, LLC Scape place and Road Public State of West viriginia Tink L. PETHTEL His Energy, LLC Scape place and Road Public State of West viriginia Tink L. PETHTEL His Energy, LLC Scape place and Road Public State of West viriginia Tink L. PETHTEL His Energy, LLC Scape place and Road Public State of West viriginia Tink L. PETHTEL His Energy LLC Scape place and Road Public State place place and Road Public State place pl									
Cement 1200' 1030' 5 3/16" 583' 1282' Cement 850' 750' 6 5/8" 320' 1540' Cement 650' 550' Cement 330' 230' Cement 100' 0' Perforated casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' (1 shot/20') & 605'-595' (1 shot/1') Description of monument: 7" and that the work of plugging and filling said well was completed on the 18th day of August , 20 14 And further deponents saith not. Description express work of plugging and filling said well was completed on the 18th day of August , 20 14 And further deponents saith not. Description of monument: 7" and that the work of plugging and filling said well was completed on the 18th day of August , 20 14 WV Department of State of West Viriginia Tinal L Pethote General Lice State of West Viriginia Ti									
Cement 650' 550' Cement 650' 550' Cement 330' 230' Cement 100' 0' Perforated casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' (1 shot/20') & 605'-595' (1 shot/1') Description of monument: 7" and that the work of plugging and filling said well was completed on the 18th day of August , 20 14 And further deponents saith not. RECEIVED Office of Oil and Gas Sworm and subscribed before me this // day of Cepten Gas Section Notary Public Affidavit reviewed by the Office of Oil and Gas: WW Department of Notary Public State of Oil and Gas: WW Department of STATE OF WEST VIRIGINIA TINA L. PETHTEL REGENERY. LLC 2820 Dupon Road	TY	PE							
Cement 650' 550' Cement 330' 230' Cement 100' 0' Perforated casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' (1 shot/20') & 605'-595' (1 shot/1') 6% Gel Between Cement Plugs Description of monument: 7" and that the work of plugging and filling said well was completed on the 18th day of August , 20 14 And further deponents saith not. RECEIVED Office of Oil and Gas Sworn and subscribed before me this // day of State of West Virginia Gas Sworn and subscribed before me this // day of State of West Virginia Gas Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of Notary Public State General Virginia General Virginia General Componing Control Componing Control									
Cement 330' 230' Cement 100' 0' Perforated casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' (1 shot/20') & 605'-595' (1 shot/1') 6% Gel Between Cement Plugs Description of monument: 7" and that the work of plugging and filling said well was completed on the 18th day of August , 20 14 And further deponents saith not. RECEIVED Office of Oil and Gas Sworn and subscribed before me this // day of Septembase 2014 WV Department of Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC Seaso Duponit Road							6 5/8"	320'	1540'
Cement 100' 0' Perforated casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' (1 shot/20') & 605'-595' (1 shot/1') 6% Gel Between Cement Plugs Description of monument: 7" and that the work of plugging and filling said well was completed on the 18th day of August , 20 14 And further deponents saith not. RECEIVED Office of Oil and Gas Sworn and subscribed before me this // day of September 12 2014 WV Department of Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of STATE OF WEST VIRGINIA TINA L. PETHTEL HGS Energy, LLC State OF WEST VIRGINIA TINA L. PETHTEL HGS Energy, LLC Seaso Duponit Road									
Perforated casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' (1 shot/20') & 605'-595' (1 shot/1') 6% Gel Between Cement Plugs Description of monument: 7" and that the work of plugging and filling said well was completed on the 18th day of August , 20 14 And further deponents saith not. RECEIVED Office of Oil and Gas Sworn and subscribed before me this day of September 12' 2014 WV Department of Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of Notary Public State Of West Virginia TINA L. PETHTEL IG Energy, LLC STATE OF WEST VIRGINIA TINA L. PETHTEL IG Energy, LLC State Of West Virginia Perforated casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' and that the work of plugging August , 20 14 WV Department of Notary Public State Of West Virginia TINA L. PETHTEL IG Energy, LLC STATE OF WEST VIRGINIA TINA L. PETHTEL IG Energy, LLC State Of West Virginia Perforate Casing 1200'-1100' (1 shot/20'), 850'-650' (1 shot/20'), 650'-550' Affidavit reviewed by the Office of Oil and Gas:									
(1 shot/20') & 605'-595' (1 shot/1') 6% Gel Between Cement Plugs Description of monument: 7" and that the work of plugging August , 20 14 And further deponents saith not. RECEIVED Office of Oil and Gas Sworn and subscribed before me this // day of September 12 2014 WV Department of Notary Public Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of Notary Public STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road	Cement			100'	0'				
(1 shot/20') & 605'-595' (1 shot/1') 6% Gel Between Cement Plugs Description of monument: 7" and that the work of plugging August , 20 14 And further deponents saith not. RECEIVED Office of Oil and Gas Sworn and subscribed before me this // day of September 12 2014 WV Department of Notary Public Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of Notary Public STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road					<u> </u>				
(1 shot/20') & 605'-595' (1 shot/1') 6% Gel Between Cement Plugs Description of monument: 7" and that the work of plugging August , 20 14 And further deponents saith not. RECEIVED Office of Oil and Gas Sworn and subscribed before me this // day of September 12 2014 WV Department of Notary Public Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of Notary Public STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road									
(1 shot/20') & 605'-595' (1 shot/1') 6% Gel Between Cement Plugs Description of monument: 7" and that the work of plugging August , 20 14 And further deponents saith not. RECEIVED Office of Oil and Gas Sworn and subscribed before me this // day of September 12 2014 WV Department of Notary Public Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of Notary Public STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road	<u> </u>	····	D	erforated casing 1	 	F/20i7	250'-650' (1 ch	ot/201 650'-51	50'
Description of monument: T" and that the work of plugging and filling said well was completed on the 18th day of August A						420), (15 DCO-056	10420 J, 030 -3.	30
Description of monument: and that the work of plugging and filling said well was completed on the 18th day of August August And further deponents saith not. RECEIVED Office of Oil and Gas Sworn and subscribed before me this My commission expires: NOV 12 2018 WV Department of Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of Notary Public STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy LLC S280 Dupont Road Parkers by Lucy Control Received S280 Dupont Road Parkers by Lucy Control Received S280 Dupont Road				1 3110420) & 003	1 333 (1 3110Q1)				
Description of monument: and that the work of plugging and filling said well was completed on the 18th day of August August And further deponents saith not. RECEIVED Office of Oil and Gas Sworn and subscribed before me this My commission expires: NOV 12 2018 WV Department of Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of Notary Public STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy LLC S280 Dupont Road Parkers by Lucy Control Received S280 Dupont Road Parkers by Lucy Control Received S280 Dupont Road	6% Gel	Between Co	ement	t Plugs					
And further deponents saith not. BECEIVED Office of Oil and Gas Sworn and subscribed before me this Jan Jan Jan					<u>.L</u>				
And further deponents saith not. RECEIVED Office of Oil and Gas Sworn and subscribed before me this My commission expires: Nov 12 2018 WV Department of Notary Public Affidavit reviewed by the Office of Oil and Gas: Notary Public State of West Virginia Tina L. Pethrete HG Energy, LLC S260 Dupont Road Perfore the public Road Perfore the public Road Perfore the public Road	Description	of monume	nt:		7"		8	and that the wo	rk of plugging
And further deponents saith not. RECEIVED Office of Oil and Gas Sworn and subscribed before me this My commission expires: Nov 12 2018 WV Department of Notary Public Affidavit reviewed by the Office of Oil and Gas: Notary Public STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road Parkers by: Parkers by: Reference of Oil and Gas: Parkers by: Reference of Oil and Gas	and filling s	aid well was	com	pleted on the	18th d	lay of		August	, 20 14
Sworn and subscribed before me this My commission expires: Nov 12 2018 WV Department of Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of NOTARY PUBLIC STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road Parkers by Clark State Of West VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road					\ ($\Lambda \perp$	<u></u>		
Sworn and subscribed before me this My commission expires: Nov 12 2018 WV Department of Notary Public Affidavit reviewed by the Office of Oil and Gas: Office of Oil and Gas WV Department of NOTARY PUBLIC STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road Parkers by: Pa	And further	deponents	saith	not.	ame Th	V)U	ww.	R	CEIVED
Sworn and subscribed before me this My commission expires: Notary Public Affidavit reviewed by the Office of Oil and Gas: Aday of September 2, 20 14 WV Department of Notary Public STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road Parkers bur 20 14 STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road					777		7/	Office	enter in the file
My commission expires: Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of NOTARY PUBLIC STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road Parkers by the Commission expires: Parkers by the Commission expires: NOTARY PUBLIC STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road					wh WC	Chi	luce	Omes (
My commission expires: Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of NOTARY PUBLIC STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road Parkers by the Commission expires: Parkers by the Commission expires: NOTARY PUBLIC STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road	Sworn and	subscribed l	pefore	e me this	<u>//</u> d	lay of	_Ses	tember.	20 14
Notary Public Affidavit reviewed by the Office of Oil and Gas: WV Department of NOTARY PUBLIC STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road Parkers by the S280 Dupont Road	My commiss	sion expires	:	NOV 12 2	2018			JE	2 2014
Affidavit reviewed by the Office of Oil and Gas: Affidavit reviewed by the Office of Oil and Gas: VIRONMEDERC AFFICIANT OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC State Obugont Road Parkers by Dupont Road	•	•			$\overline{\cap}$	_		14/1/0	
Affidavit reviewed by the Office of Oil and Gas: STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road Parkers by the Parkers by the Control of the Contr	Notani Bubl	ic		1			,	VVV De	partment of
Affidavit reviewed by the Office of Oil and Gas: STATE OF WEST VIRGINIA TINA L. PETHTEL HG Energy, LLC 5280 Dupont Road Parkers by the Parkers by the Control of the Contr	Notary Publ	<u> </u>		Ima It		_	4 ALCA Y	Euvironme	CORECIAINSTACTION
Office of Oil and Gas: TiNA L. PETHTEL HG Energy, LLC 5280 Dupont Road Parkers by Market Board	Affidavit rev	riewed by th	ıe				\$ \$\text{3}', 4		
HG Energy, LLC Speed Dupont Road		-		$\mathcal{M}_{\alpha \dots \alpha}$	n V A)		1 (5)	The Party	"YA L. PETHIE!
	J 01 011		₹	- tombre	') 		1.16		HG Energy, LLC
	Title:	Inspe	7	or	-				

FORM WR-38 (Affidavit of Plugging)

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY OIL AND GAS WELLS DIVISION

91-008109

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

COALQUEST DEVELOPMENT, LLC

Coal Operator or Owner

2708 CRANBERRY SQUARE MORGANTOWN, WV 26508

Address

COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner

2708 CRANBERRY SQUARE MORGANTOWN, WV 26508

Address
Will's NESTOR
Lease or Property Owner
ROUTE 1, BOX 475, GRAFTON, WV 26354
Address

ICG TYGART VALLEY, LLC

Name of Well Operator 2708 CRANBERRY SQUARE MORGANTOWN, WV 26508

Complete Address THORNTON (638)

Well Location KNOTTSVILLE

District TAYLOR County

ONDA NESTOR 2
Well No.
NESTOR, WILLIS

Farm

8-14-14

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA, County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by ICG Tygart Valley, LLC well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 16th day of June, 2014 and that the well was plugged in the following manner:

	Filling Material	Casing	Casing Pulled	Casing Left In
Formation		Size & Kind		
Cleaned 3 1/2" hole from Su Cement bottom hole from 5	rface to 5187'. Tagged Solid plug at 5187'. 5187' to 2410' with 160 sacks of Expandable	16" Conductor Casing	0'	6 1/2'
Cement. Removed 2407' of 4 1/2	of 4 1/4" casing from Surface to 2407". Left casing in the hole from 2407' to ~5254' (Depth	8 5/8" Casing	Milled 27'	1076'
taken from old well record) Encountered extreme cavir the hole at 1758'. Left 93' Section milled 8 5/8' casing Coal seam from 699.7' to 7 Kittanning Coal seam from hole from Surface to 588' a the hole from 2410' to 1650 Cemented hole from 1650 From 1650' to 1110' with 150 Surface with 189 sacks of This Surface with 189 sacks of F	Cleaned 7 7/8" hole from Surface to 2107', ing which caused the drill string to become stuck in of drill string in the hole from 1759' to 1685', of from 688' to 715' through the Lower Kittanning 04.6'. Possible small junk metal through the Lower 699.7' to 704.9'. Left 1076' of 8 5/8' casing in the nd from 715' to 1103'. Left Freshwater Gel plug in	4 1/2* Casing	2407	. ~2847'
Coal Seams		Description of Monument	<u> </u>	·
LOWER KITTANING	699.7 to 704.9	77" of 7" casing w/company r	name, well numb	er,
(Name)		permit number and date ceme		
(Name)	-	casing. Well marker will be at	tached to the	
(Name)		cement plug at ground level.		

And that the work of plugging and filling said well was completed on the 3rd day of July, 2014

And further deponents saith not.

Sworn to and subscribed before me this 14 day of August 2014

My commission expires: 11/4/23

Permit No. <u>47-91-00810-P</u> Well No. <u>ONDA NESTOR 2</u>

Manual Profession Col Wind Wingles

Kern Both Forst

Heart American Delicas LLC

Received Office of Oil & Gas

SEP 1 5 2014



WR-38

Date: 05.29.2014

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

•							
Farm name:	Mason, Kennet	h & Jeni	nifer				Furbee No. 1 - A
LOCATION:	Elevation:						ey 7.5'
	District:	McElro	ý		ty:7	yler	
**	Latitude:			00 Deg.	00 Min.	00 Sec.	
*	Longitude:	Feet	West of	00 Deg.	00 Min.	00 Sec.	3
Well Type:	OIL	_	GAS X	OOX_		•	
Company:	Gastar Explo	ration II	SA	Coal	Operator	N/A	
Company.	229 W Main S	Street Su	ite 301				
	Clarksburg V						
			•		-		
				Value of the same of	_		
				Coal	Lessee _	NA_	
Agent:	Mike McCown			with	deciaration	1	
n ::	40 / 40 / 2042			10			
Permit Issued Date:	12 / 12 / 2013		– AFFIDA	млт			
			Arriba	1411			
STATE OF WEST VIR	GINIA.					*	
County of Tyler			SS	:			
Jacob	Snider	and _	Jackie Ca	rpenter		being first o	duly swom according
to law depose and sa	y that they are	experien	ced in the	work of plu	gging and t	rilling oil and	gas wells and were
employed by the above	e named well ope	erator, a	nd participa	ted in the w	ork of plugg	ing and fillin	g the above well, and
Mike Goff		Oil ai	nd Gas insp	ector repre	senung me	Director, Sa	be following manner:
1 11 00							
commenced on the 20	h day of May	2014	and that	the well wa	s plugged a	PEMOVED	I FFT
TYPE	FROM			то	PIPE	REMOVED	LEFT
	h day of May FROM 1830'		10	FO 640'	2 3/8"	1860'	LEFT 0
TYPE	FROM 1830'		10	то	PIPE	REMOVED	LEFT
TYPE Cement	FROM 1830'		10	FO 640'	2 3/8"	1860'	LEFT 0
Cement Cement Cement	1830' Reset 1455'		10 10	640'	2 3/8"	1860'	LEFT 0
Cement Cement Cement Cement Cement	FROM 1830' Reset		10 10 11 7	640' 640' 340'	PIPE 2 3/8" Rods	1860' 1852'	0 0
Cement Cement Cement Cement Cement Cement Cement	Reset 1455' 850' 390'	1830'	10 10 11 77 2	640' 640' 340' 720'	PIPE 2 3/8" Rods	1860' 1852'	0 0
Cement Cement Cement Cement Cement Cement Cement Cement	Reset 1455' 850' 390' 250'	1830'	10 11 11 11 11 11 11 11 11 11 11 11 11 1	640' 640' 340' 220' 240'	2 3/8" Rods 7"	1860' 1852' 221'	0 0 1469'
Cement Cement Cement Cement Cement Cement Cement	Reset 1455' 850' 390'	1830'	10 11 11 11 11 11 11 11 11 11 11 11 11 1	640' 640' 340' 720'	2 3/8" Rods 7"	1860' 1852' 221'	0 0 1469'
Cement Cement Cement Cement Cement Cement Cement Cement	Reset 1455' 850' 390' 250'	1830'	10 11 11 11 11 11 11 11 11 11 11 11 11 1	640' 640' 340' 220' 240'	2 3/8" Rods 7"	1860' 1852' 221'	0 0 1469'
Cement Cement Cement Cement Cement Cement Cement Cement	Reset 1455' 850' 390' 250'	1830'	10 11 11 11 11 11 11 11 11 11 11 11 11 1	640' 640' 340' 220' 240'	2 3/8" Rods 7"	1860' 1852' 221'	0 0 1469'
Cement Cement Cement Cement Cement Cement Cement Cement	Reset 1455' 850' 390' 250'	1830'	10 11 11 11 11 11 11 11 11 11 11 11 11 1	640' 640' 340' 220' 240'	2 3/8" Rods 7"	1860' 1852' 221'	0 0 1469'
Cement Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @ 1642', 728	FROM 1830' Reset 1455' 850' 390' 250' 164'	1830'	10 10 11 7 2 1 Su	640' 640' 340' 720' 770' reface	PIPE 2 3/8" Rods 7" 10'	1860' 1852' 221' 0	0 0 1469'
Cement Cement Cement Cement Cement Cement Cement Cement Cement	FROM 1830' Reset 1455' 850' 390' 250' 164'	1830'	10 11 11 11 11 11 11 11 11 11 11 11 11 1	640' 640' 340' 720' 770' reface	PIPE 2 3/8" Rods 7" 10'	1860' 1852' 221' 0	0 0 1469'
Cement Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @ 1642', 728	FROM 1830' Reset 1455' 850' 390' 250' 164'	1830'	10 10 11 7 2 1 Su	640' 640' 340' 720' 770' reface	PIPE 2 3/8" Rods 7" 10'	1860' 1852' 221' 0	0 0 1469'
Cement Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @ 1642', 728 Shot 7" @ 1398', 786',	FROM 1830' Reset 1455' 850' 390' 250' 164' 8', 250', & 164'. 346', 221', Free	1830'	10 10 10 207	640' 640' 340' '20' 240' 170' Irface	PIPE 2 3/8" Rods 7" 10'	1860' 1852' 221' 0	1469' 290'
Cement Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @ 1642', 728 Shot 7" @ 1398', 786',	FROM 1830' Reset 1455' 850' 390' 250' 164' 3', 250', & 164'. 346', 221', Free	1830'	10 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	640' 640' 340' '20' '40' 170' urface	PIPE 2 3/8" Rods 7" 10' ied to back n it and th	1860' 1852' 221' 0	1469' 290'
Cement Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @ 1642', 728 Shot 7" @ 1398', 786', Description of monumesaid well was contact the company of the c	FROM 1830' Reset 1455' 850' 390' 250' 164' 3', 250', & 164'. 346', 221', Free ent: 7 inch casing completed on the	1830' s. Sho	10 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	640' 640' 340' '20' 240' 170' 1rface " & 102'; Tr	PIPE 2 3/8" Rods 7" 10' ied to back n it and th	1860' 1852' 221' 0	1469' 290' of plugging and filling
Cement Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @ 1642', 728 Shot 7" @ 1398', 786', Description of monumes aid well was contained and further depondent	FROM 1830' Reset 1455' 850' 390' 250' 164' 3', 250', & 164'. 346', 221', Free ent: 7 inch casing ompleted on the ents saith not	1830' Sho	10 10 1 207 ong with AP 22 207	640' 640' 340' '20' 240' 170' Irface # welded o	PIPE 2 3/8" Rods 7" 10' ied to back n it and th	1860' 1852' 221' 0	of plugging and filling ECEIVED 2014.
Cement Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @ 1642', 728 Shot 7" @ 1398', 786', Description of monumes aid well was contained with the contained with the contained to the contained t	FROM 1830' Reset 1455' 850' 390' 250' 164' 3', 250', & 164'. 346', 221', Free ent: 7 inch casing completed on the complete on the c	1830' s. Sho	10 10 1 207 ong with AP 22 207	640' 640' 340' '20' 240' 170' 1rface " & 102'; Tr	PIPE 2 3/8" Rods 7" 10' ied to back n it and th	1860' 1852' 221' 0	1469' 290' of plugging and filling
Cement Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @ 1642', 728 Shot 7" @ 1398', 786', Description of monums aid well was a further depond And further deponders of the period o	## FROM 1830' Reset 1455' 850' 390' 250' 164' 3', 250', & 164'. 346', 221', Free ent: 7 inch casing the completed on the complete o	1830' Sho	10 10 1 207 ong with AP 22 207	640' 640' 340' '20' 240' 170' Irface # welded o	PIPE 2 3/8" Rods 7" 10' ied to back n it and th	1860' 1852' 221' 0	of plugging and filling ECEIVED 2014.
Cement Cement	FROM 1830' Reset 1455' 850' 390' 250' 164' 346', 221', Free ent: 7 inch casing completed on the cents saith not cents saith no	1830' Sho	10 10 1 207 ong with AP 22 207	640' 640' 340' '20' 240' 170' Irface # welded o	PIPE 2 3/8" Rods 7" 10' ied to back n it and th	1860' 1852' 221' 0	of plugging and filling ECEIVED 2014.
Cement Cement Cement Cement Mildred Mildred	FROM 1830' Reset 1455' 850' 390' 250' 164' 346', 221', Free ent: 7 inch casing the completed on the completed on the completed on the complete control of the control of t	1830' Sho	10 10 1 207 ong with AP 22 207	640' 640' 340' '20' 240' 170' Inface # welded o	PIPE 2 3/8" Rods 7" 10' ied to back n it_and the of	off. Office	of plugging and filling ECEIVED 2014.
Cement Cement	FROM 1830' Reset 1455' 850' 390' 250' 164' 346', 221', Free ent: 7 inch casing the completed on the completed on the completed on the complete control of the control of t	1830' Sho	10 10 1 207 ong with AP 22 207	640' 640' 340' '20' 240' 170' Inface # welded o	PIPE 2 3/8" Rods 7" 10' ied to back n it and th	off. at the work of May Office WV D	of plugging and filling ECEIVED 2014.

API# <u>047-095-00487 P</u>

Date: May 28, 2014

My Commission Express Dec. 24, 2017

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Blattner, Louis				Oper	rator '				Jackman No. 1
LOCATION:	Elevation:							Shirle	y 7.5	
	District:							<u>Tyler</u>		
	Latitude:	Feet			Deg.				Sec.	
	Longitude:	Feet	West of	00	Deg.	00	Min	. 00	Sec.	
Well Type:	OIL		GAS XX	XX	-					
Company:	Gastar Explo				Coal	Ope	rator		N/A	
•	229 W. Main				OL 0/	vner				
	Clarksburg, V	<i>N</i> V 2630	11							
					Caal				NI / A	
Agent:	Miles N	1cCown				Less	i ee aratic		N/A	· · · · · · · · · · · · · · · · · · ·
Agent	IAIIVE IA	ICCOWII			willi	ueci	araut	··· —		
Permit Issued Date:	10/21/2013									
		_	AFFID.	VIT						
) i
STATE OF WEST VIRO	GINIA,									
County ofTyler			SS	:						
laash (outstan		4. 11. 0.							
to low denote and an	Snider	and _	<u>Jackie Car</u>	pent	er			_being	first dul	y sworn according
to law depose and say	that they are e	expenen	cea in the v	vork	or plu	igging	g and	filling	oil and g	as wells and were
employed by the above	named weilibh:	end Cae	in participat	rent	ocenti	Ork o	i piug	ging a	na πuing i	ne above well, and at said work was
commenced on the 25t	h day of March	2014 a	nd that the v	veli v	vae ni	naue	ie Di	filled i	, Say un	al said work was
TYPE	FROM		7	0	ruo pi	ugget	PIPE	REM	OVED	LEFT
Cement	2060'		<u> </u>	25'			3/8 "		24'	0
Cement	Reset 2060)'	19	25'		4	1/2 "	10	80'	964'
Cement	1150'		10	00,		17	r ⁿ		30'	1745'
Cement	875'		7!	50'						
Cement	280'			75'		_				
Cement	175'	· · · · · · · · · · · · · · · · · · ·	Sur	face		+				
Tag Plug @ 1921' and	→ 700!		L							
Shot 4 1/2" @ 1080', pull										!
Shot 7" @ 1073', 816' 8	2 230' Free									
<u> </u>	200 1166			• • •						
Description of monumer	nt 7 inch casing	_ 8 ft lo	na with ADM	اميد ا	ded a	n it	and th	ai tha	wast ARE	to the contract of
said well was completed	d on the	11 th	day	of	ucu o	<u> </u>	2110 01	at tile Anril	MOLK ONE	AG Strict Strict String
And further deponents s	saith not.	Jenon				·		/ (DIII	Office (of Oil and Gas
Sworn and subscribe be	fora ma this	100			Λ		١			
My commission expires:	Dece	bo los		y of ∟∕\)′		bli	1		SE	P 1 0 2014 2014
my commiscion expires.		-M DE			1			•		- 2011
************			20lm	ΔΔ	\coprod	\mathcal{I}	Me	ad	W/W	Partment of
			0			<u>.</u> .	· · ·	. ==		- I O JIIOTTI II
OFFICIAL SEA	լ «		•		Notar	v Piik	Nic -	/	viran.	ontal Day
NOTARY PLIE	in S		m I		Notar A	y Put L			vironm	ental Protection
NOTARY PLIE	ic Giland Cas Ins	pector	Mil	sel	Notar	y Put	lic	/=11	vironm 	ental Protection

WR-38

Date: June 12th, 2014

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name: LOCATION:	Weese, Roger	& Sandr 782'	<u>a</u>			rator ¹ drang		o: <u>Co</u>	naway H 7.5"	eirs, No. 1
	District:		DV .					yler		
•	Latitude:	Feet	South of	00	Deg.			00	Sec.	
•	Longitude:	Feet	West of		Deg.				Sec.	
Well Type:	OIL		GAS	CXXX	_					
Company:	Gastar Explo 229 W. Main Clarksburg.	Street S	uite 301			Opei wner	rator _ - - -			N/A
Agent:	Mike McCown	<u>.</u>				Less deci			N	I/A
Permit Issued Date:	12 - 13 - 2013		AFFII	DAVIT						
STATE OF WEST VIRO			·	ss:						
lacoh	Snider	and	Jackie C	ament	er			beina	first du	ly sworn according
to law depose and say	v that they are	and_	ced in the	work	of pli	Jaain	and f	illina	oil and o	as wells and were
employed by the above Michael Goff	named well on	erator, a	nd particip	ated in	ı the v	vork c	of blugg	ing a	nd filling :	the above well, and at said work was
commenced on the 2'	day of June	2014	and that the	e well v	was p	lugge	d and fi	illed i	n the folio	owing manner:
. TYPE	FRON			TO			PIPE	REM	OVED	LEFT
Cement	1765'			1600'	:		Rods		1800'	
Cement	Reset	1765'		1600'			2 3/8"		1808'	0
Cement	Reset	1765'	-l	1600'			4 1/2"		1000'	735'
Cement	1550'			1450'			0.4148		001	1619'
Cement	1050'			950'			6 1/4"		96'	1019
	860'			760'		. _				
	400'			285'						
	140'		5	Surface						
Tag Plug @ 1596', 9 Shot 4 1/2 @ 1500', 100		Sho	ot 6 1/4 "@	813	346	S', E	96' , Fre	e		
Description of monume said well was complete	ed on the	12 th		day of	ided (on it	and the	at the <u>June</u>	work of O	plugeng and filling file of Oil and Gas
And further deponents Sworn and subscribe b		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	, 19ea	_day of	-	1	n P			Cro 2014 Gas
My commission expire	<i></i>	<u> </u>	2020)			سحب			2014
				40	10	0/.	n 61	P	PAVE	7160,
STATE OF NOTAL	CHALSEAL WEST VIRGINIA RY PUBLIC D L. CASTO 1 101 and Gas VI	nenactor	M.	<i>- P P</i>	Not	ary Pu	ublic	#- [[Enviro	nmental Protection
GIVEN	. W 25245 expires June 3, 2020	peotol					-	70		

Date: <u>06.26.2014</u>

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

									•	
Farm name:	Kenneth & Je	nnifer Ma	ason		One	refor	Mau A	da.	D.14	P. 4
LOCATION:	Elevation: _	852'			Qua	irang	ije. AAGII L	NO:	<u>P.M.</u>	Furbee No. 6
	District: Mc							Tyler		Shirley 7.5"
	Latitude:	Feet		00	Deg.	00		. 00		
	Longitude:	Feet	West of	00	Deg.	00		00	Sec.	
Well Type:	OIL ·		GAS X	<u>oxx</u>	-			•		
Company:	Gastar Ex	ploration	חדו		Cool	0				
	229 W. Ma	in St. Sui	te 301		Or ov	Oper	ator _		N/A	
	Clarksburg	. WV 26	301		OI ON	/iier	-			
			•				-			
	Mika B	/IcCown	•			_	_			
Agent:	- anve n	ACCOWN .			Coal				N/A	
•					AAILII	uecia	ration	· —		
Permit Issued Date:	12/12/2	2013	_							
			AFFIDA	VIT						
STATE OF WEST VI	RGINIA									
County of Tyler			SS:							
								•		
to law denose and or	Snider	and	Jackie Carr	ente			t	eina	first du	ly sworn according
to law depose and sa employed by the above	sy ulat they are e	xpenenc	ed in the w	ork c	f plug	ging	and fi	lling o	il and g	as wells and were
Mike Goff	on ope	~ a.co., a.r.	a barnothare	UIII	HE MO	IK OI	pluggi	ng an	d fillina	the above well and
commenced on the 1	7th day of June 2	On and	that the well	ctor	repres	entin	g·the	Direct	or, say	the above well, and that said work was
TYPE	FROM		T()	piugg	eu an	IPE R		e follow	
Cement	1840'		169			Rod			100, AED	LEFT
Cement	Reset 18	340'	169			1.00				No Record
Cement	1174'		107			2°		40	307'	
Cement	925'		820			4"				0
Cement	- <u>-</u>	25'	720			7°			872'	No Record
Cement	600'		480			/-			0	541'
Cement	360'		250							i
Cement	170'		Surfa							
Tag Plug 1678' 704'	Shot 4" @ 1124'	872' FRI	F Shot 7"	<u></u>	11% 20	42. 4	171	ada at	E 70 -	
										10'
Description of monume said well was complete	nt: 7 inch casing -	-8 ft lond	with API# v	velde	d on i	l an	d that	tha w	ani. as	
		26 th	uav t	0 1	0111	June	u ulat	uie w	ork or p	ugging and filling 2014
And further deponents	•	Gason	March							2014
Sworn and subscribe be	fore me this	_'8th	day		J	ale	_			
My commission expires	:Dec. &	3, 20K		V		. 7				
OFFICIAL SEAL	innig	,— —	Char	CLI	o fi	N 0 .	ρ_{\perp}	Mi	110.0	
STATE OF WEST VIRGIN	IIA 를	_	J	Du	<u> </u>	<u></u>	<u>' </u>	<u>'!!!</u>	wer	2 2 60
Promobine & Marilian	2. 2 :		m 'A	A No	otary i	Public	i / 4	weg	while	e f. Mullen
569 Rigley Landing Rd Millwood, WV 25262	"Uil and Gas Insp	ector _	Linkon	<u> </u>	4	7	4			
My Commission Exp. Dec. 8, Philipping 1991	iniii z Knia z				-					
• • • • • • • • • • • • • • • • • • • •						-				

WR-38

Date: 05.14.2014

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Spencer Alva						Nell N	o:		Spencer No.2	<u>2</u>
LOCATION:	Elevation: _	757'_				drang			Shirley	1_7.5'	
	District:						12:	<u>i yler</u>			
		Feet				00		00	Sec. Sec.		
	Longitude:	Feet	West of	00	Deg.	. 00	Will I.	UU	JEC.		
Well Type:	OIL		GAS	XXXX	_						
Company:	Gastar Exp	loration.	LTD		Coal	Ope	ator _		N/A	*	
•	229 W. Mair				or o	wner	-				
	Clarksburg,	WV 263	01				-				
							-				
					Coal	Less	ee		N/A		
Agent:	Mike	McCown			With	deck	aratio	n			
Permit Issued Date:	10/21/2013		— Areit	DAVIT				•			
			AFFII	DAVII							
STATE OF WEST VIR	GINIA,										
County of Tyler			5	SS:							
								· - · - · -		•	
to law depose and say	Snider	and _	Jackie C	arpente	er ef plu	igaina	and f	being	first du	ly sworn acc	cording
employed by the above	y uiat uiey aie s named well on	expenen	nd nadicin	ated in	the u	rork o	f Munc	iina a	on and g	yas wells alk the shove w	alwere
Michael Goff	riamed well op	Oil a	nd Gas ins	spector	repn	esenti:	na the	Direc	ctor. sav	that said wo	rk was
commenced on the 5th	day of May	2014 a	and that the	e well v	vas p	ugged	d and f	illed iı	n the folk	owing manne	r.
TYPE	FROM	1		TO			PIPE	REMO	OVED		FT
Cement	1790'			1640'		R	ods		1844'		0
Cement	Reset	1790'	-	1640'		2	2 3/8"		1852'		0
Cement	1050'		· · · · · · · · · · · · · · · · · · ·	950'			1/2 "		747'	94	19'
Cement	800'			700'							
Cement	550'			350"							
Cement	100'		S	urface		8	5/8" ce	ement	to surfac	ce in drilling c	peration

Tag Plug @ 1580'; 948	', 345'.		J								
Shot 5 1/2 "@ 999";											
Description of monume	ent 7 inch caein	a _ 8 ft la	na with Al	امید #ا0	ded c	n it :	and the	at the	work of	nlugging and	filling
said well was complete				day of_	uça c	11.11		May	110111 01	201 201	
And further deponents		Oaa	Man								
Sworn and subscribe b	-E-manhio	20	<u> </u>	day of		ズ	10				2014
SWOTH and SIDSTEPARE	EAL A	3 ~	020	uay oi		10	1.0	8		RECEIV	<u>2014</u> /FD
STATE OF WEST NOTARY PU	VIRGINIA	/ -	<u>-0-0-0</u>		***				Off	ice of Oil a	LU
双型的处理 MILDRED L.	CASTO									oc or On a	and Gas
RT.1 BOX	(2)5045		0.0	٠.	Nota	ry Pul	blic _	,	,	SED 100	•••
My commission expires	June 3, 2020 as Ir	spector	Ŋ.	alea	J	Λ	<u>H</u>	AN	/	SEP 102	014
	, , , , , , , , , , , , , , , , , , ,			- · · · · · · · · · · · · · · · · · · ·	<u>1</u>			110	14/1	/ Day	
								•	Foreign	/ Departm	ent of
								•	FINILO	nmental F	rotection
•											

Date: August 14, 2014

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: LOCATION:	Weese, Everet				Ope	rator	Well N	lo:		Seckn	nan #1
	District:	710' McEiro			Qua				Shirk	ey 7.5'	
	Latitude:		South of	00	Cour	nty:					
	Longitude:		·West of	UU OU	Deg. Deg.	00	Min.		Sec.		
***	•		1103101	00	Deg.	UU	WHT.	00	Sec.	-	
Well Type:	O!L		GAS XX	XX	_						
Company:	_Gastar Explo	ration, L	ΓD		Coal	Oper	ator		N/A		
	229 W. Main	St. Suite	301		or ov	vner			14/7		
	Clarksburg, \	WV 2630	1				-				
•		•					-				
Agent:	Mike McCown				Coal				N/A		
	MIKE MICCOMI				With	decla	ration				
Permit Issued Date:	<u>12/12/2013</u>										
	_		AFFIDA	VIT							
STATE OF WEST VIR	POINIA.										•
County ofTyler	OIIIA,										
			SS:								
					_			Naina	Cunt d.		_
Jacob	Snider	and .	Jackie Cam	ante	Г						
Jacob o law depose and sa	Snider by that they are ex	_ and xperience	<u>Jackie Carp</u> ed in the w	ork o	f plua	nina	and fi	iling o	ii ond	IIY SWO	m accord
employed by the above	e named well oper	ator. and	i participate	ork c	he wo	ging ork of	and 1	ling o	il and (gas we	ells and we
employed by the above Michael Goff	e named well oper	rator, and	i participate	d in t	he wo	ging rk of	and n	ng and	il and o	gas we the ab	ells and we ove well , a
employed by the above Michael Goff commenced on the 7	e named well oper Oil an th day of August	rator, and	participate Inspector of that the w	d in tepre	he wo	ging ork of g the gged	and π pluggi e Dire and fil	lling o ng and ctor, led in i	il and (I filling say th the follo	gas we the ab	ells and we ove well , a
employed by the above Michael Goff commenced on the 7 TYPE	e named well oper Oil an th day of August FROM	rator, and	I participate Inspector in Institute w	ed in the representation of the control of the cont	he wo	ging ork of g the gged	and n	lling o ng and ctor, led in i	il and (I filling say th the follo	gas we the ab	ells and we ove well , a
employed by the above Michael Goff commenced on the 7 TYPE Cement	e named well oper Oil an th day of August FROM 1750'	rator, and	I participate Inspector of that the w	d in the precent of the control of t	he wo	ging ork of g the gged	and file pluggies Direction and file pluggies an	lling on the control of the control	il and (I filling say th the follo	gas we the ab	ells and we ove well, a d work w manner:
employed by the above dichael Goff commenced on the 7 TYPE Cement Cement	e named well oper Oil an th day of August FROM 1750' 1195'	rator, and	I participate Inspector in Institute w	d in the precent of the control of t	he wo	ging ork of g the gged F	and no plugging Direction and file PIPE R	iling on the ctor, led in the EMO	Il and of the following the fo	gas we the ab	ells and we ove well, a d work w manner: LEFT 0
employed by the above Michael Goff commenced on the 7- TYPE Cement Cement Cement	e named well oper Oil an th day of August FROM 1750'	rator, and	I participate Inspector of that the w	ed in the color of	he wo	ging ork of g the gged F	and nipluggie Dire	iling one of the control of the cont	il and of filling say the following the foll	gas we the ab	ells and we ove well, a di work we manner: LEFT 0
employed by the above dichael Goff commenced on the 7 TYPE Cement Cement Cement Cement Cement	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350'	rator, and	participate Inspector of that the work 160	ed in the representation of the color of the	he wo	ging ork of g the gged Roc	and nipluggie Dire	iling one of the control of the cont	il and (d) filling say the following the fol	gas we the ab	ells and we ove well, a d work w manner: LEFT 0
employed by the above Alchael Goff commenced on the 7- TYPE Cement Cement Cement	e named well oper Oil an th day of August FROM 1750' 1195' 760'	rator, and	I participate Inspector II dithat the work TC 160 866 648	ed in the representation of the color of the	he wo	ging ork of g the gged Roc	and n pluggi e Dire and fil PIPE R	iling one of the control of the cont	il and good filling say the following the following from 1778'	gas we the ab	ells and we ove well, a d work we manner: LEFT 0 0 108'
employed by the above Alichael Goff commenced on the 7 TYPE Cement	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100'	rator, and	I participate Inspector II dithat the work 160 860 644	ed in the representation of the color of the	he wo	ging ork of g the gged F Roc 2"	and n pluggi e Dire and fil PIPE R	illing on the control of the control	il and good filling say the following the following from 1778'	gas we the ab	ells and we ove well, a di work we manner: LEFT 0
employed by the above Alichael Goff commenced on the 7 TYPE Cement	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100'	rator, and Gas 2014 and	I participate Inspector II I that the w II I participate Inspector II I followed by the second secon	ork cod in the representation of the code	he wo sentin as plu	ging ork of g the gged Roc 2" 4"	and n pluggi e Dire and fil PIPE R	lling ong and ctor, led in 1 1 9:	Il and (dilling say the following say) the following following for the following for	gas we the about said	ells and we ove well, a d work w manner: LEFT 0 0 108'
employed by the above Michael Goff commenced on the 7 TYPE Cement Cement Cement Cement Cement Cement Cement Cement	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100'	rator, and Gas 2014 and	I participate Inspector in the will participate Inspector in that the will 160 860 648 100 Surfa	ork cod in the representation of the code	he wo sentin as plu	ging ork of g the gged Roc 2" 4"	and n pluggi e Dire and fil PIPE R	lling ong and ctor, led in 1 1 9:	Il and (dilling say the following say) the following following for the following for	gas we the about said	ells and we ove well, a d work we manner: LEFT 0 0 108'
employed by the above Michael Goff commenced on the 7 TYPE Cement Cement Cement Cement Cement Cement Cement Cement	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100' Shot 4" @ 10	ator, and Gas 2014 and	I participate Inspector I d that the w TC 160 860 644 100 Surfa	ed in the representation of the control of the cont	he wo sentin as plug	ging ork of g the gged Roc 2" 4" 7" @	and n pluggi e Dire and fill PIPE R	iling ong and ctor, led in 1 1 9: 20	Il and of filling say the following the foll	gas we the about said	ells and we ove well, a d work w manner: CEFT 0 0 108' 908'
employed by the above flichael Goff ommenced on the 7 TYPE Cement	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100' Shot 4" @ 10- ont: 7 inch casing —	ator, and d Gas 2014 and	I participate Inspector I dithat the with API#	d in the preed was 2000.	he wo sentin as plug	ging ork of g the gged Roc 2" 4" 7" @	and n pluggi e Dire and fill PIPE R	iling ong and ctor, led in 1 1 9: 20	Il and of filling say the following the foll	gas we the about said	ells and we ove well, a d work we manner: UEFT 0 0 108' 908'
employed by the above flichael Goff ommenced on the 7 TYPE Cement	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100' Shot 4" @ 10- ont: 7 inch casing — d on the	ator, and Gas 2014 and	I participate Inspector I dithat the with API# 1 day day	d in the preed was 2000.	he wo sentin as plug	ging ork of g the gged Roc 2" 4" 7" @	and n pluggi e Dire and fill PIPE R	iling ong and ctor, led in 1 1 9: 20	Il and of filling say the following the foll	gas we the aboat said	ells and we ove well, a d work w manner: CEFT 0 0 108' 908'
employed by the above flichael Goff ommenced on the 7 TYPE Cement Cement Cement Cement Cement Cement Gement Cement Cement Cement Cement Cement Cement Cement	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100' Shot 4" @ 10- ont: 7 inch casing — d on the	ator, and d Gas 2014 and	I participate Inspector of that the work 160 860 648 100 Surface Inspector of that the work 160 860 648 100 Surface Inspector of the work 160 860 648 100 Surfac	din trepre eli water of the control	he wo sentin as plug	ging ork of g the gged Roc 2" 4" 7" @	and n pluggi e Dire and fill PIPE R	iling ong and ctor, led in 1 1 9: 20	Il and of filling say the following the foll	gas we the aboat said	ells and we ove well, a d work we manner: UEFT 0 0 108' 908'
employed by the above Alichael Goff commenced on the 7- TYPE Cement Cement Cement Cement Cement Cement depend 653', 1587'; escription of monumeraid well was completed and further deponents several and subscribe between and subscribe between the several deponents and subscribe between t	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100' Shot 4" @ 10- ont: 7 inch casing — d on the saith not. Fore me this	ator, and d Gas 2014 and	I participate Inspector of that the work 160 860 648 100 Surface Inspector of that the work 160 860 648 100 Surface Inspector of the work 160	din to represent we have a construction of the	he wo sentin as plug	ging ork of g the gged Roc 2" 4" 7" @	and n pluggi e Dire and fill PIPE R	iling ong and ctor, led in 1 1 9: 20	Il and of filling say the following the foll	gas we the aboat said	ells and we ove well, a d work we manner: UEFT 0 0 108' 908'
employed by the above Michael Goff Commenced on the 7 TYPE Cement Cement Cement Cement Cement Cement Gement Cement Cem	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100' Shot 4" @ 10- ont: 7 inch casing - d on the saith not. ofore me this	ator, and d Gas 2014 and	I participate Inspector of that the work 160 860 648 100 Surface Inspector of that the work 160 860 648 100 Surface Inspector of the work 160	din trepre eli water of the control	he wo sentin as plug	ging ork of g the gged Roc 2" 4" 7" @	and n pluggi e Dire and fill PIPE R	iling ong and ctor, led in 1 1 9: 20	Il and of filling say the following the foll	gas we the aboat said	ells and we ove well, a d work we manner: O O 108' 908' 908' g and filling 2014
employed by the above Michael Goff commenced on the 7 TYPE Cement Cement Cement Cement Cement Cement deg Plug 653', 1587'; description of monumeraid well was completed and further deponents several	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100' Shot 4" @ 10- ont: 7 inch casing — d on the saith not. fore me this	ator, and d Gas 2014 and	I participate Inspector of that the work 160 860 648 100 Surface Inspector of that the work 160 860 648 100 Surface Inspector of the work 160	din to represent we have a construction of the	he wo sentin as plug	ging ork of g the gged Roc 2" 4" 7" @	and n pluggi e Dire and fill PIPE R	iling ong and ctor, led in 1 1 9: 20	Il and of filling say the following the foll	gas we the about said said said said said said said said	ells and we ove well, a d work we manner: LEFT 0 0 108' 908' 5' Free 2014
employed by the above Alichael Goff commenced on the 7- TYPE Cement Cement Cement Cement Cement Cement deg Plug 653', 1587'; escription of monume aid well was complete and further deponents sworn and subscribe be y commission expires	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100' Shot 4" @ 10- ont: 7 inch casing — d on the saith not. If or me this Saith seal FROM 1750' 1195' 100'	ator, and d Gas 2014 and	I participate Inspector of that the work 160 860 648 100 Surface Inspector of that the work 160 860 648 100 Surface Inspector of the work 160	din to represent we have a construction of the	he wo sentin as plug	ging ork of g the gged Roc 2" 4" 7" @	and n pluggi e Dire and fill PIPE R	iling ong and ctor, led in 1 1 9: 20	Il and of filling say the following the foll	gas we the about said said said said said said said said	ells and we ove well, a d work what we manner: UEFT 0 0 108' 908' 5' Free 2014 EIVED
employed by the above Michael Goff commenced on the 7 TYPE Cement Cement Cement Cement Cement Cement depend 653', 1587'; escription of monume aid well was completed and further deponents are worn and subscribe be a commission expires STATE OF MILD	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100' Shot 4" @ 10- of the casing — d on the saith not. For me this From this From this From this From the casto of west viriginal of the casto of the cas	ator, and d Gas 2014 and	I participate Inspector of that the work 160 860 648 100 Surface Inspector of that the work 160 860 648 100 Surface Inspector of the work 160	din to the control of	Shot 7	ging ork of g the gged Roc 2" 4" 7' @	and π pluggi e Dire and fill PIPE R	iling ong and ctor, led in 1 1 9: 20	Il and of filling say the following the foll	gas we the about said said said said said said said said	ells and we ove well, a d work we manner: LEFT 0 0 108' 908' 5' Free 2014
employed by the above flichael Goff ommenced on the 7 TYPE Cement Cement Cement Cement Cement Cement deg Plug 653', 1587'; escription of monume aid well was complete and further deponents several and subscribe be a commission expires	e named well oper Oil an th day of August FROM 1750' 1195' 760' 350' 100' Shot 4" @ 10- ont: 7 inch casing — d on the saith not. If or me this Saith seal FROM 1750' 1195' 100'	ator, and d Gas 2014 and	I participate Inspector of that the work 160 860 648 100 Surface Inspector of that the work 160 860 648 100 Surface Inspector of the work 160	din to the control of	he wo sentin as plug	ging ork of g the gged Roc 2" 4" 7' @	and π pluggi e Dire and fill PIPE R	iling ong and ctor, led in 1 1 9: 20	Il and of filling say the following the foll	gas we the about said said said said said said said said	ells and we ove well, a d work what we manner: UEFT 0 0 108' 908' 5' Free 2014 EIVED

WV Department of Environmental Protection

Date: May 01, 2014

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Blattner, Louis	L			0	4	18/ _~ 1/ h				
LOCATION:	Elevation:	1149'			Qua	den	areii V	10:	<u>Ben C</u>	<u>). Jackm</u>	an No. 6
	District:	McElro			Com	atv. Manf	jie: 	Tados	Shirle	y 7.5'	
	Latitude:	Feet	South of	ΩΩ	Deg.	ייטי חח	Min	00 vier	000	·	
	Longitude:	Feet	West of		Deg.			00		•	
Well Type:	OIL	-	GAS X	XXX	-						
Company:	Gastar Exp	doration I	ISA		Cool	O===					
	229 W. Maii	n Street	-		OF OW	Oper	ator _		N/A		
	Clarksburg.	WV 263	801		OI OW	/IIGr	_				
•							_				
•							-				
Agent:	Mike McCown				Coal With	Less decia	ee ration	<u> </u>	N/A		
Permit Issued Date:	10/21/2013										
			AFFIDA	VIT							
STATE OF WEST VIR	GINIA:										
County of Tyler	v., q										
			SS:								
Jacob	Snider	and .	Jackie Cam	senter			_	-1			
to law depose and say employed by the above	that they are ex	х р егience	ed in the w	ork o	falue	aina	D	eing 1	first dul	y swom	according
Mike Goff		03	Paraoipate	, u 111 u	IC MO	IK OI	bınaaıı	ng and	a filling t	he above	e well. and
commenced on the 23	rd day of April 20	_0. and the	Gas inspendent	Mac I	epres	enun	g the L	Jirecto	or, say t	hat said	work was
TYPE	FROM		T())	Jugge	- C	IPE R		n the t	ollowing	manner:
Cement	2130'		203				3/8"		1		LEFT
Cement	Reset 2	130'	200			-				_	0
Cement	1750°		165			A 1	½ "	12	42'		
Cement	1390'		129			-	-	13	42	····	1008'
Cement	1278'		120			8 5/	8"	12	280'	Como	nt to surface in
Cement	100'		O				<u> </u>		.00	Drilli	nt to surrace in
	100		Surfa	3CE							
											
Tag Plug @ 2100', 2006	', 1640', 1278'.	S	Shot 4" @ 1	699'	1342	Free	<u> </u>				
											
Description of monumen aid well was completed	t 7 inch casing -	8 ft long	with ADI#,	wolde	-1 ::						
aid well was completed	on the 1	si si	day	of	u on I	an May	o mat t	he wo	ork of plu		
and further deponents se	aith not.	Jasan	Meado			IVIAY			DE		<u> 2014</u>
worn and subscribe before		+4							HE!	CEIVE	<u>.D</u>
A STANDARD STANDARD	ore me mis		day	_		_Z	ha	<u>ر O</u> 1	tice of	f Oil ar	nd2@as
STATE OF WEST	VIRGINIA	<u> </u>	<u>, 20.</u>	<u> 30</u>			•	0			
NOTARY PU	BLIC Y	-	_m	10	he	d	N	0 1	OSEP	01/0 20	14
MILDRED L. (_		. Al-	tor f), .b.!?	17			~0 = 0	
GIVEN, WV 9	5245	-4	MI	/INC	tary F	Olicur Ab		/ \/	VV De	partme	ant of
My commission expired	Mrandreas Inspe	ctor _	ballar	4	<u> </u>		1-11			•	
									OHITE	mai i	rotection

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name: LOCATION:	Spencer, Alva D. Elevation: 1102 District: McEl Latitude: Feet Longitude: Feet	roy South of 00		Tyler n. 00 Se	
Well Type:	OIL	GAS XXXX		n. 00 Se	C.
Company:	Gastar Exploration, 229 W. Main Street S Clarksburg, WV 263	LTD Suite 301	Coal Operator or owner	N	/ A
Agent:	Mike McCown	1	Coal Lessee With declaration	N	/A
Permit Issued Date:	12/11/2013	AFFIDAVIT			
STATE OF WEST VIRO County ofTyler		ss:			
Michael Goff the 11 th day of April 2014	named well operator, a _Oil and Gas Inspector 4 and that the well was	nd participated in t	the work of plugo	ing on an	duly sworn according and gas wells and were ng the above well, and rk was commenced on
TYPE	FROM	ТО	PIPE	REMOVED	
Cement	2090'	1940'	Rods	2120'	LEFT
Cement	1150'	1040'	2 3/8"		
Cement	765'	650'	4"	2140'	0
Cement	255'	150'	- 4	712'	Not Available
Cement	148'	0	7"	104'	A.C.
				104	Not Available
Tag Plug @ 1937', 148'. Shot 4" @ 1098', 712' Fre Shot 7" @ 701', 203', & 1	04' Free.				
Description of monument said well was completed of and further deponents sai	7 inch casing – 8 ft Ion on the 17 th	g with API# welde	d on it and that	REC PROYECTION	EIVED follugging end filling
Worn and subcomba L-C	III IIOL. Geen	Meadow		A SEE M.	, <u>2014</u> .
worn and subscribe before	re me this	day of	June	SEP 1	0 2014
Worn and subscribe before V commission expires: OFFICIAL SE STATE OF WEST VI NOTARY PUBL MILDRED L. CA RT. 1 BOX 2 GIVEN, WY My commission expires Ji	re me this AL RGINIA LIC ASTO	day of day of 	June	SEP 1	, <u>2014</u> .